



Fire Control Technician - C130



	E1-3	E4	E5	E6	E7	E8	E9	TOTAL
% INV to FY21 EPA	92%	115%	92%	106%	101%	100%	77%	99%
EPA (FY21)	344	179	325	236	172	40	13	1309
INVENTORY	317	205	300	250	173	40	10	1295
EPA (FY22)	339	175	322	236	172	41	12	1297
% INV to FY22 EPA	94%	117%	93%	106%	101%	98%	83%	100%
INV + WIP / FY21 EPA	125%							108%
INVENTORY	430	113	← E-3 and Below WIP					1408
INV + WIP / FY22 EPA	127%							109%

Sea Shore Flow			FORCE STRUCTURE MANNING TO BA									
TOUR	SEA	SHORE	PG	SEA	INV	BA	SHORE	INV	BA	SEA + SHORE	TOTAL INV	TOTAL BA
1ST	54	36	E1-3	90.9%	199	219	0.0%	3		92.2%	202	219
2ND	42	36	E4	108.4%	181	167	#####	13	1	115.5%	194	168
3RD	36	36	E5	74.7%	174	233	130.4%	103	79	88.8%	277	312
4TH	36	36	E6	100.0%	120	120	97.2%	105	108	98.7%	225	228
5TH	36	36	E7	92.9%	91	98	100.0%	66	66	95.7%	157	164
6TH	36	36	E8	220.0%	22	10	55.2%	16	29	97.4%	38	39
7TH	36	36	E9	22.2%	2	9	233.3%	7	3	75.0%	9	12
Total				92.2%	789	856	109.4%	313	286	96.5%	1102	1142

ADV OPP. (Cycles 245/246/247)							
All-Navy 10yr Avg	E1-3	E4	E5	E6	E7	E8	E9
	TIR	34.9%	22.1%	13.9%	22.0%	11.6%	13.1%
All-Navy	TIR	28.3%	20.8%	8.1%	25.9%	13.6%	12.3%
FT	TIR	21.8%	21.8%	3.8%	22.9%	3.8%	4.5%

Zone Info	ZONE A	ZONE B	ZONE C	ZONE D	ZONE E	ALL ZONES
FY21 Manning:	94.0%	97.0%	122.0%	97.0%	113.0%	99.0%
FYTD RENL Rate:	62.5%	58.1%	84.2%	100.0%	36.4%	64.4%
FY22 Manning:	95.0%	97.0%	122.0%	99.0%	113.0%	99.8%

NOTES

FT is designated an BALANCED rate in C-WAY
 Convert-in option is available for all 2014-2021
 ASVAB: PER Rating Requirments in CWAY
 SRB: Zone A 2.5 \$45k (SRB eligibility chart dated 29JUN21)
 SDIP: (RCN 0800) E7/E8 \$500 (SDIP eligibility chart dated 30JUN21)
 SDIP: E3/E4/E5 \$800 (SDIP eligibility chart dated 30JUN21)